

Renal Palliative Care Bibliography

Clinical Practice Guideline

Renal Physicians Association, American Society of Nephrology. Shared Decision-Making in the Appropriate Initiation of and Withdrawal from Dialysis, Clinical practice guideline No. 2. Washington, DC: Renal Physicians Association, 2000.

RPA/ASN Position Statement

Renal Physicians Association, American Society of Nephrology: Position Paper on Quality Care at the End of Life. Rockville, MD: Renal Physicians Association, 2002.

Book

Chambers EJ, Germain M, Brown E, eds. Supportive Care for the Renal Patient. Oxford: Oxford University Press, 2004.

Core Curriculum

Moss AH, Holley JL, Davison SN, Dart RA, Germain MJ, Cohen LM, Swartz RD. Core Curriculum in Nephrology: Palliative Care. *Am J Kidney Dis* 2004;43:172-185.

Fellows Training

Holley JL, Carmody SS, Moss AH, Sullivan AM, Cohen LM, Block SD, Arnold RM. The Need for End-of-Life Care Training in Nephrology: National Survey Results of Nephrology Fellows. *Am J Kidney Dis* 2003;42:813-820.

Advance Care Planning

Davison SN, Simpson C. Reconceptualizing Hope in the Context of Advance Care Planning: Perspective for Patients with End Stage Renal Disease. *BMJ*. 2006 Oct 28;333(7574):886. Epub 2006 Sep 21.

Davison SN. Facilitating Advance Care Planning for Patients with End Stage Renal Disease: the Patient Perspective. *Clin J Am Soc Nephrol* Sep 2006, 1:1023-1028

Davison SN, Torgunrud C. The Creation of an Advance Care Planning Process for Patients with ESRD. *Am J Kidney Dis* 2007;49:27-36.

Holley JL, Hines SC, Glover JJ, Babrow AS, Badzek LA, Moss AH. Failure of Advance Care Planning to Elicit Patients' Preferences for Withdrawal from Dialysis. *Am J Kidney Dis* 1999;33:688-693.

Hines SC, Glover JJ, Holley JL, Babrow AS, Badzek LA, Moss AH. Dialysis Patients' Preferences for Advance Care Planning and End-of-Life Decision Making. *Ann Intern Med* 1999;130:825-828.

Holley JL. Palliative Care in End-Stage Renal Disease: Focus on Advance Care Planning, Hospice Referral, and Bereavement. *Sem Dial* 2005;18:154-156.

Holley JL. Advance Directives and Advance Care Planning in Patients with End-Stage Renal Disease. In: Chambers J, Germain M, Brown E, eds. *Supportive Care for the Renal Patient*. Oxford: Oxford University Press 2004: 35-43.

Hines SC, Glover JJ, Babrow AS, Holley JL, Badzek LA, Moss AH. Improving advance care planning by accommodating family preferences. *J Palliat Med* 2001; 4:481-489.

CPR

Moss AH, Holley JL, Upton MB. Outcomes of Cardiopulmonary Resuscitation in Dialysis Patients. *J Am Soc Nephrol* 1992; 3:238-43.

Moss AH, Hozayen O, King K, Holley JL, Schmidt RJ. Attitudes of Patients Toward Cardiopulmonary Resuscitation in the Dialysis Unit. *Am J Kidney Dis* 2001;38:847-852.

Hijazi F, Holley JL. Cardiopulmonary Resuscitation and Dialysis: Outcome and Patients' Views. *Sem Dial* 2003;16:51-53.

Hospice

Murray AM, Arko C, Chen S-C, Gilbertson DT, Moss AH. Utilization of Hospice in the United States Dialysis Population. *Clinical J Am Soc Nephrol* 2006;1:1248-1255.

Pain and Symptoms

Davison SN, Jhangri G, Johnson J. Longitudinal Validation of a Modified Edmonton Symptom Assessment System (ESAS) in Hemodialysis Patients. *Nephrol Dial Transplant*. 2006 Nov; 21(11): 3189-95. Epub Sep 6 2006

Davison SN, Jhangri G, Johnson JA. Cross Sectional Validity of a Modified Edmonton Symptom Assessment System in Dialysis Patients: A Simple Assessment of a Symptom Burden. *Kidney Int*. May 2006, 69(9):1621-1625.

Davison SN, Jhangri G. The impact of Chronic Pain on Depression, Sleep and the Desire to Withdraw from Dialysis in Hemodialysis Patients. *J Pain Symptom Manage*. Nov;30(5):465-73, 2005

Davison SN. Chronic Pain in End-Stage Renal Disease. *Advances in Chronic Kidney Disease*, 12(3):326-334, 2005

Barakzoy AS, Moss AH. Efficacy of the World Health Organization Analgesic Ladder to Treat Pain in End-Stage Renal Disease. *J Am Soc Nephrol* 2006;17:3198-3203.

Davison SN. Pain in Hemodialysis Patients: Prevalence, Cause, Severity, and Management. *Am J Kidney Dis* 2003;42:1239-1247.

Dean M. Opioids in Renal Failure and Dialysis Patients. *J Pain Symptom Manage* 2004;28:497-504.

Kimmel PL, Emont SL, Newmann JM, Danko H, Moss AH. ESRD Patient Quality of Life: Symptoms, Spiritual Beliefs, Psychological Factors, and Ethnicity. *Am J Kidney Dis* 2003;42:713-721.

Cohen LM, Tessier EG, Germain MJ, Levy NB. Update on Psychotropic Medication Use in Renal Disease. *Psychosomatics* 2004;45:34-48.

Weisbord SD, Fried LF, Arnold RM, Fine MJ, Leveson DJ, Peterson RA, Switzer GE. Prevalence, Severity, Importance of Physical and Emotional Symptoms in Chronic Hemodialysis Patients. *J Am Soc Nephrol* 2005;16:2487-2494.

Palliative Care Overview

Cohen LM, Germain MJ. Palliative and Supportive Care. In: Brady HR, Wilcox CS, eds. *Therapy of Nephrology and Hypertension: A Companion to Brenner's The Kidney, 2nd Edition*. Philadelphia: W. B. Saunders, Co, 2003: 753-756.

Withdrawal of Dialysis and End-of-Life Decision-Making

Cohen LM, Germain MJ, Woods AL, Mirot A, Burlison JA. The Family Perspective of ESRD Deaths. *Am J Kidney Dis* 2005;45(1):154-6.

Cohen LM, Germain M, Poppel DM, Pekow PS, Woods A, Kjellstrand CM. Dying Well After Discontinuing the Life-Support Treatment of Dialysis. *Arch Intern Med* 2000;160:2513-2518.

Cohen LM, Germain MJ, Poppel DM: Practical Considerations in Dialysis Withdrawal: "To have the option is a blessing." *JAMA* 2003;289:2113-2119.

Moss AH. Patient Selection for Dialysis, the Decision to Withdraw Dialysis, and Palliative Care. In: Brady HR, Wilcox CS, eds. *Therapy in Nephrology and Hypertension, 2nd edition*. Philadelphia: W. B. Saunders, Co., 2003:875-882.

Davison SN, Jhangri GS, Holley JL, Moss AH. Nephrologists' Comfort with End-of-Life Decision-Making. *Clin J Am Soc Neph* 2006;1:1256-1262.

Holley JL, Davison SN, Moss AH. Nephrologists' Changing Practices in Reported End-of-Life Decision-Making. *Clin J Am Soc Neph* 2007;2:107-111.

Sekkarie, MA, Moss, AH. Withholding and Withdrawing Dialysis: The Role of Physician Specialty and Education and Patient Functional Status. *Am J Kidney Dis* 1998;31:464-472.